

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|--------|---|---|------------------|---------|------------------|
| L41 | 2873 | plurality near (source or data) near lines with pixel | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/11/08 16:44 |
| L42 | 223 | 41 same light near emit\$5 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/11/08 16:47 |
| S36 | 119 | (transistor41 or switch\$4 or pixel\$1) with (source near lines) with (multiple or plurality) with gate near line | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/15 16:44 |
| S37 | 359329 | (plurality or multiple or group\$1 or plural\$5 or bunch) near2 (source or data or column) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/15 16:46 |
| S38 | 17347 | S37 same (gate or scan\$6 or row\$4) same (transistor\$1 or switch\$4 or pixel\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/15 16:46 |
| S39 | 1204 | S38 same (diode or oled or light near2 emit\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/15 16:47 |
| S40 | 506 | S39 and "345"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/15 16:48 |
| S41 | 952 | column near2 (plurality or multior multiple) near3 (source or data) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/19 11:24 |
| S42 | 5 | S41 same (transistor or switch\$4) same (led or light near2 emit\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/19 11:25 |

EAST Search History

| | | | | | | |
|-----|--------|---|---|----|-----|------------------|
| S43 | 78081 | (source or data) near lines | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/19 11:26 |
| S44 | 6872 | S43 same pixel same (transistor or switch\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/19 11:26 |
| S45 | 464 | S44 same light near emit\$5 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/19 11:27 |
| S46 | 220 | S45 and "345"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/19 11:40 |
| S47 | 8287 | plurality near (data or source) near lines | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/19 11:40 |
| S48 | 2505 | S47 with pixel | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/19 11:40 |
| S49 | 240 | S48 same (led or oled or light near emit\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/19 12:50 |
| S50 | 141183 | (source or data) near2 (pixel or cell) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/19 12:51 |
| S51 | 22022 | S50 with (gate or scan\$6) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/19 12:51 |
| S52 | 7879 | S51 same (transistor\$2 or switch\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/19 12:51 |

EAST Search History

| | | | | | | |
|-----|------|---|---|----|-----|------------------|
| S53 | 294 | S52 same (led or oled or light-emitt\$5 or light near3 emit\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/19 12:52 |
| S54 | 4865 | pixel near column | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/19 13:38 |
| S55 | 86 | S54 with (data or source) near lines | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/19 13:38 |
| S56 | 2213 | source near lines with gate near lines | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/24 10:01 |
| S57 | 901 | S56 with (transistor\$1 or switch\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/24 10:01 |
| S58 | 213 | S57 and "345"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/24 10:09 |
| S59 | 2963 | (source or data) near lines near2 pixel | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/24 10:31 |
| S60 | 134 | S59 same light near emit\$5 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/24 10:55 |
| S61 | 7 | S59 same light near emit\$5 | JPO; DERWENT | OR | OFF | 2006/06/24 10:55 |

Day : Wednesday

Date: 11/8/2006

Time: 16:18:42

PALM INTRANET

Inventor Name Search Result

Your Search was:

Last Name = KOYAMA

First Name = JUN

| Application# | Patent# | Status | Date Filed | Title | Inventor Name |
|-----------------|----------------|--------|------------|--|---------------|
| <u>07297426</u> | <u>5023491</u> | 250 | 01/17/1989 | FILTER CIRCUIT ARRANGEMENTS WITH AUTOMATIC ADJUSTMENT OF CUT- OFF FREQUENCIES | KOYAMA, JUN |
| <u>08272735</u> | <u>5686328</u> | 150 | 07/11/1994 | SEMICONDUCTOR DEVICE AND PROCESS FOR FABRICATING THE SAME | KOYAMA, JUN |
| <u>08360265</u> | <u>5680149</u> | 150 | 12/21/1994 | DRIVING CIRCUIT FOR DRIVING LIQUID CRYSTAL DISPLAY DEVICE | KOYAMA, JUN |
| <u>08361034</u> | <u>5570105</u> | 150 | 12/21/1994 | DRIVING CIRCUIT FOR DRIVING LIQUID CRYSTAL DISPLAY DEVICE | KOYAMA, JUN |
| <u>08362405</u> | <u>5503731</u> | 150 | 12/23/1994 | METHOD FOR PRODUCING ELECTRODES OF SEMICONDUCTOR DEVICE | KOYAMA, JUN |
| <u>08362881</u> | <u>5798746</u> | 150 | 12/23/1994 | LIQUID CRYSTAL DISPLAY DEVICE | KOYAMA, JUN |
| <u>08382410</u> | <u>5616935</u> | 150 | 02/01/1995 | A SEMICONDUCTOR INTEGRATED CIRCUIT HAVING N-CHANNEL AND P- CHANNEL TRANSISTORS | KOYAMA, JUN |
| <u>08392475</u> | <u>5767832</u> | 150 | 02/22/1995 | METHOD OF DRIVING ACTIVE MATRIX ELECTRO- OPTICAL DEVICE BY USING FORCIBLE REWRITING | KOYAMA, JUN |
| <u>08407685</u> | <u>5793344</u> | 150 | 03/21/1995 | SYSTEM FOR CORRECTING DISPLAY DEVICE AND METHOD FOR CORRECTING THE SAME | KOYAMA, JUN |
| <u>08421440</u> | Not Issued | 166 | 04/13/1995 | DRIVE CIRCUIT OF ACTIVE MATRIX TYPE DISPLAY DEVICE AND | KOYAMA, JUN |

| | | | | | |
|-----------------|----------------|-----|------------|---|-------------|
| | | | | MANUFACTURING METHOD THEREFOR | |
| <u>08423085</u> | Not Issued | 166 | 04/18/1995 | SEMICONDUCTOR INTEGRATED CIRCUIT | KOYAMA, JUN |
| <u>08423087</u> | <u>5764206</u> | 150 | 04/18/1995 | DRIVE CIRCUIT AND METHOD FOR DESIGNING THE SAME | KOYAMA, JUN |
| <u>08427096</u> | Not Issued | 166 | 04/21/1995 | REDUNDANCY SHIFT REGISTER CIRCUIT FOR DRIVER CIRCUIT IN ACTIVE MATRIX TYPE LIQUID CRYSTAL DISPLAY DEVICE | KOYAMA, JUN |
| <u>08445412</u> | <u>5598106</u> | 150 | 05/19/1995 | SEMICONDUCTOR INTEGRATED CIRCUIT FOR PREVENTING DETERIORATION OF THE CHARACTERISTICS OF AN N-CHANNEL TYPE TRANSISTOR | KOYAMA, JUN |
| <u>08447932</u> | <u>5812149</u> | 150 | 05/23/1995 | LIQUID CRYSTAL DISPLAY DEVICE WHICH REGULATES DISPLAY OF FRAME IMAGE DATA AND OPERATION OF BACKLIGHT UNIT TO REDUCE POWER CONSUMPTION | KOYAMA, JUN |
| <u>08451546</u> | Not Issued | 166 | 05/26/1995 | ELECTRO-OPTICAL DEVICE | KOYAMA, JUN |
| <u>08456404</u> | <u>5650636</u> | 150 | 06/01/1995 | ACTIVE MATRIX DISPLAY AND ELECTROOPTICAL DEVICE | KOYAMA, JUN |
| <u>08496531</u> | Not Issued | 166 | 06/29/1995 | SEMICONDUCTOR DEVICE AND METHOD FOR ITS FABRICATION | KOYAMA, JUN |
| <u>08505947</u> | <u>6307948</u> | 150 | 07/24/1995 | INFORMATION PROCESSING SYSTEM FOR AUDIO AND VISUAL TRANSMISSION SYSTEM | KOYAMA, JUN |
| <u>08512343</u> | <u>5949397</u> | 150 | 08/08/1995 | PERIPHERAL DRIVER CIRCUIT OF LIQUID CRYSTAL ELECTRO-OPTICAL DEVICE | KOYAMA, JUN |
| <u>08520078</u> | <u>5847413</u> | 150 | 08/28/1995 | DIFFERENTIAL AMPLIFIER CIRCUIT AND ANALOG BUFFER | KOYAMA, JUN |
| <u>08526935</u> | <u>5789762</u> | 150 | 09/12/1995 | SEMICONDUCTOR ACTIVE MATRIX CIRCUIT | KOYAMA, JUN |

| | | | | | |
|-----------------|----------------|-----|------------|---|-------------|
| <u>08534449</u> | <u>6344843</u> | 150 | 09/27/1995 | DRIVE CIRCUIT FOR DISPLAY DEVICE | KOYAMA, JUN |
| <u>08537540</u> | <u>6177920</u> | 150 | 10/02/1995 | ACTIVE MATRIX DISPLAY WITH SYNCHRONOUS UP/DOWN COUNTER AND ADDRESS DECODER USED TO CHANGE THE FORWARD OR BACKWARD DIRECTION OF SELECTING THE SIGNAL OR SCANNING LINES | KOYAMA, JUN |
| <u>08538016</u> | <u>5903249</u> | 150 | 10/02/1995 | METHOD FOR DRIVING ACTIVE MATRIX DISPLAY DEVICE | KOYAMA, JUN |
| <u>08542795</u> | <u>5920300</u> | 150 | 10/13/1995 | ACTIVE MATRIX LIQUID CRYSTAL DISPLAY DEVICE | KOYAMA, JUN |
| <u>08553726</u> | <u>5870075</u> | 150 | 10/23/1995 | LCD DISPLAY WITH DIVIDED PIXEL ELECTRODES CONNECTED SEPARATELY WITH RESPECTIVE TRANSISTORS IN ONE PIXEL AND METHOD OF DRIVING WHICH USES DETECTION OF MOVEMENT IN VIDEO | KOYAMA, JUN |
| <u>08557345</u> | <u>6023257</u> | 150 | 11/14/1995 | DRIVER CIRCUIT FOR ACTIVE MATRIX DISPLAY | KOYAMA, JUN |
| <u>08565859</u> | <u>5654733</u> | 150 | 12/01/1995 | LIQUID CRYSTAL ELECTROOPTICAL DEVICE | KOYAMA, JUN |
| <u>08588809</u> | <u>5929464</u> | 150 | 01/19/1996 | ACTIVE MATRIX ELECTRO-OPTICAL DEVICE | KOYAMA, JUN |
| <u>08591265</u> | <u>5904514</u> | 150 | 01/25/1996 | METHOD FOR PRODUCING ELECTRODES OF SEMICONDUCTOR DEVICE | KOYAMA, JUN |
| <u>08597835</u> | <u>5763899</u> | 150 | 02/07/1996 | ACTIVE MATRIX DISPLAY DEVICE | KOYAMA, JUN |
| <u>08601956</u> | <u>6011607</u> | 150 | 02/15/1996 | AN ACTIVE MATRIX DISPLAYS WITH SEALING MATERIAL | KOYAMA, JUN |
| <u>08602017</u> | <u>5729308</u> | 150 | 02/15/1996 | ACTIVE MATRIX DISPLAY DEVICE | KOYAMA, JUN |
| <u>08602213</u> | Not Issued | 161 | 02/15/1996 | ACTIVE MATRIX DISPLAY DEVICE | KOYAMA, JUN |
| <u>08617414</u> | <u>5866444</u> | 150 | 03/18/1996 | INTEGRATED CIRCUIT AND METHOD OF FABRICATING THE SAME | KOYAMA, JUN |
| <u>08617415</u> | <u>6246399</u> | 150 | 03/18/1996 | ACTIVE MATRIX LIQUID | KOYAMA, JUN |

| | | | | | |
|-----------------|----------------|-----|------------|--|-------------|
| | | | | CRYSTAL DISPLAY | |
| <u>08631844</u> | <u>5936698</u> | 150 | 04/12/1996 | MANUFACTURING A DISPLAY DEVICE USING ANODIZATION | KOYAMA, JUN |
| <u>08639563</u> | <u>6219022</u> | 150 | 04/29/1996 | ACTIVE MATRIX DISPLAY AND IMAGE FORMING SYSTEM | KOYAMA, JUN |
| <u>08657801</u> | Not Issued | 161 | 05/31/1996 | METHOD OF MANUFACTURING SEMICONDUCTOR DEVICE | KOYAMA, JUN |
| <u>08660108</u> | <u>5767924</u> | 150 | 06/07/1996 | DISPLAY UNIT WHICH IS IMMERSSED IN A COOLANT | KOYAMA, JUN |
| <u>08673251</u> | Not Issued | 161 | 06/28/1996 | LIQUID CRYSTAL DISPLAY DEVICE | KOYAMA, JUN |
| <u>08688018</u> | <u>5824235</u> | 150 | 07/29/1996 | METHOD OF MANUFACTURING SEMICONDUCTOR DEVICE | KOYAMA, JUN |
| <u>08688829</u> | <u>5889291</u> | 150 | 07/31/1996 | SEMICONDUCTOR INTEGRATED CIRCUIT | KOYAMA, JUN |
| <u>08695595</u> | <u>6025901</u> | 150 | 08/12/1996 | LIQUID CRYSTAL DISPLAY DEVICE AND METHOD FOR PRODUCING THE SAME | KOYAMA, JUN |
| <u>08713877</u> | <u>6005645</u> | 150 | 09/13/1996 | STEROSCOPIC DISPLAY DEVICE HAVING PARTICULAR CIRCUITS | KOYAMA, JUN |
| <u>08717940</u> | <u>6013542</u> | 150 | 09/23/1996 | METHOD OF MANUFACTURING A SEMICONDUCTOR DEVICE | KOYAMA, JUN |
| <u>08720716</u> | <u>5894361</u> | 150 | 10/02/1996 | STEREOSCOPIC LIQUID CRYSTAL DISPLAY HAVING DIFFERENT ORIENTATION DOMAINS | KOYAMA, JUN |
| <u>08726806</u> | <u>6377230</u> | 150 | 10/07/1996 | THREE DIMENSIONAL DISPLAY UNIT AND DISPLAY METHOD | KOYAMA, JUN |
| <u>08730409</u> | <u>5956011</u> | 150 | 10/15/1996 | MATRIX TYPE LIQUID-CRYSTAL DISPLAY UNIT | KOYAMA, JUN |

[Search and Display More Records.](#)

Search Another: Inventor
Last Name
First Name

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)